

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - CHEMICAL PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAMES: TRAMFLOC<sup>®</sup> 624, 625, 637, 724, 725, 731

DATE ISSUED: 02/01/12

SUPERSEDES: 05/07/99

DESCRIPTION: Polydimethyldiallylammonium chloride, 40% in water. NSF approved for potable water. Also used for drilling mud dewatering and oily water clarification

### COMPANY IDENTIFICATION:

Tramfloc, Inc.

P. O. Box 350

Tempe, AZ 85280-0350, 480-491-6895

EMERGENCY TELEPHONE: 24 hours a day, 7 days a week

CHEMTREC 1-800-424-9300

## SECTION 2 - COMPOSITION/INFORMATION on INGREDIENTS

CHEMICAL NAME	WT/WT % EQUAL TO	CAS NUMBER
Polydimethyldiallylammonium Chloride	40 %	26062-79-3
Water	60 %	7732-18-5

## SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW - Straw colored viscous liquid with amine or musty odor. Spills are very slippery. Avoid contact with skin eyes and clothing.

### POTENTIAL HEALTH EFFECTS

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Prolonged or repeated eye contact may cause irritation.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: Prolonged or repeated skin contact may cause irritation.

EFFECTS OF OVEREXPOSURE - INHALATION: Not available.

EFFECTS OF OVEREXPOSURE - INGESTION: Not available.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: Not available.

PRIMARY ROUTE OF ENTRY - Skin

## SECTION 4 - FIRST AID MEASURES

INHALATION: Not expected to be harmful. Remove patient to fresh air.

SKIN: Flush immediately with soap and water for at least 15 minutes.

EYE CONTACT: Flush with water at least 15 minutes with eyelids open. Call a physician.

Product Names: Tramfloc® 624, 625, 637, 724, 725, 731

INGESTION: Material is not expected to be harmful by ingestion. If swallowed, do not induce vomiting. Give victim a glass of water. Consult a physician. Never give anything by mouth to an unconscious person.

## **SECTION 5 - FIRE-FIGHTING MEASURES**

FLASHPOINT: >212<sup>0</sup> F, Closed Cup.

FLAMMABILITY: None; AUTO FLAMMABILITY: None

EXPLOSIVE LIMITS:

LOWER: Not applicable; UPPER: Not applicable. EXPLOSION HAZARD- None

EXTINGUISHING MEDIA: Not expected to burn unless heated to dryness. Residue may ignite. Use water, foam, carbon dioxide or dry chemical to extinguish.

EXTINGUISHING MEDIA WHICH MUST NOT BE USED: None.

SPECIAL EXPOSURE HAZARDS IN A FIRE: In a fire may liberate oxides of nitrogen, carbon or hydrogen chloride. Keep containers cool by spraying with water if exposed to fire.

SPECIAL PROTECTIVE EQUIPMENT: Self-contained breathing apparatus should be worn.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

ENVIRONMENTAL PRECAUTIONS: Avoid runoff into storm sewers and ditches.

METHODS FOR CLEANUP: Recycle if possible. If not, dike and absorb spill with inert materials such as clays, sand, earth, or other commercially available dry sweeping compound, and collect for disposal in accordance with federal, state, local or other applicable laws and regulations. Large spills should be contained and pumped into salvage tanks. Product may cause a slip hazard. If slippery conditions persist, apply dry sweeping compound.

## **SECTION 7 - HANDLING AND STORAGE**

HANDLING: Avoid contact with eyes, skin and clothing.

STORAGE: Avoid storage temperatures <32<sup>0</sup> F. Product may stratify.

## **SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION**

ENGINEERING CONTROLS: General ventilation is recommended. Eyewash and safety shower stations are recommended.

EXPOSURE GUIDELINES - No MAC values have been established.

PERSONAL PROTECTIVE EQUIPMENT: See below

RESPIRATORY PROTECTION: Is normally not needed since volatility and toxicity are low. If significant vapors, mists, or aerosols are present, use NIOSH approved respirator (ANSI Z 882.1980) or equivalent

HAND PROTECTION: Wear impervious gloves; EYE PROTECTION: Wear chemical splash goggles or face mask.

Product Names: Tramfloc® 624, 625, 637, 724, 725, 731

SKIN PROTECTION: If clothing is contaminated, wash skin and launder clothing.

NOTE: Before eating, drinking or smoking, wash face and hands thoroughly with soap and water.

## **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

PHYSICAL STATE, COLOR and ODOR: Straw colored, viscous liquid with amine odor.

pH as is: 5.0 - 8.0; BOILING POINT/RANGE: >212<sup>0</sup>F; WATER SOLUBILITY: Completely soluble

MELTING POINT/RANGE: 27 - 32<sup>0</sup>F; FLASH POINT: >212<sup>0</sup>F

VAPOR PRESSURE: 20-30 mm @ 25<sup>0</sup>C; SPECIFIC GRAVITY: 1.08 - 1.09

OCTANOL/WATER PARTITION COEFFICIENT: K<sub>ow</sub> <10; VISCOSITY: ~1000 cps

## **SECTION 10 - STABILITY and REACTIVITY**

CHEMICAL STABILITY: Stable; CONDITIONS TO AVOID: None.

MATERIALS TO AVOID: Strong oxidizers, iron, mild steel, copper, copper alloys or aluminum.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of nitrogen, carbon dioxide and/or carbon monoxide, and hydrogen chloride may be formed in a fire.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

ACUTE TOXICITY: LD<sub>50</sub> ORAL (rat) = > 5g/kg

IRRITANCY AND CORROSIVENESS: May be slightly irritating to skin and eyes on prolonged exposure. No evidence of corrosiveness.

SENSITIZATION: None known.

SUBACUTE, SUBCHRONIC AND PROLONGED TOXICITY: No information available.

EMPIRICAL DATA ON EFFECTS ON HUMANS: Considered non-toxic in normal use.

## **SECTION 12 - ECOLOGICAL INFORMATION**

PERSISTENCE IN THE ENVIRONMENT: Not available.

BIOLOGICAL OXYGEN DEMAND: BOD<sub>5</sub> = 88,000 mg/l

CHEMICAL OXYGEN DEMAND: COD = 500,000 mg/l

AQUATIC TOXICITY:

Daphnia Magna, 48-hour LC<sub>50</sub>: 0.23 mg/l in 100 mg/l CaCO<sub>3</sub>

Fathead Minnow (Pimephales promelas), 96-Hour LC<sub>50</sub>: 6.51 mg/l in 180 mg/l CaCO<sub>3</sub>;

Product Names: Tramfloc® 624, 625, 637, 724, 725, 731

10 mg/l TOC from humic acid. Fathead Minnow (*Pimephales promelas*), 96-Hour LC<sub>50</sub>: 0.3 mg/l in 100 mg/l CaCO<sub>3</sub>.

NOTE: Aquatic toxicity is reduced by factors of 10 to 100 times in the presence of 5 to 10 mg/l organic carbon as is found in most surface waters.

OTHER INFORMATION: Discharge of this product must be in accordance with all federal, state, local or other applicable laws and regulations.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

DISPOSAL METHOD: Recycle if possible. If not, absorb spilled material on inert absorbent and dispose of solidified material in accordance with federal, state, local or other applicable laws and regulations.

### **SECTION 14 - TRANSPORTATION INFORMATION**

Non-Hazardous, Non-Regulated

### **SECTION 15 - REGULATORY INFORMATION**

U. S. FEDERAL REGULATIONS:

CERCLA-SARA Hazard Category:

No SARA Section 313 components exist in this product.

### **INVENTORY INFORMATION**

EEC EINECS: All components of this product are included on the European Inventory of Existing Chemical Substances (EINECS) in compliance with Council Directive 67/548/EEC as amended.

US TSCA: This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C.

CANADA DSL: Components of this product have been reported to Environment Canada in accordance with subsection 25 of the Canadian Environmental Protection Act and are included on the Domestic Substances List.

### **SECTION 16 - OTHER INFORMATION**

HMIS RATINGS: HEALTH: 1; FLAMMABILITY: 0; REACTIVITY: 0

The information contained herein is to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, Tramfloc, Inc. makes no guarantee for results obtained, and assumes no responsibility for damages incurred by use of this product. It is the responsibility of the user to comply with all federal, state and local laws and regulations.