

# SAFETY DATA SHEET

According to Federal Regulation 29 CFR 1910.1200

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: TRAMFLOC® 1174

Type of product: Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Anti-foaming agent (defoamer)

Uses advised against: consumer use

### 1.3. Details of the supplier of the safety data sheet

Company: Tramfloc, Inc.  
6046 FM 2920 Rd. #615  
Spring, TX 77379-2542

Telephone: 888-929-8973

Telefax: 480-383-6895

E-mail address: water@tramfloc.com

### 1.4 Emergency telephone number:

24-hour emergency number: 800-424-9300 CHEMTREC (CCN 20412), Outside US 703-527-3887

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### 2.2. Label Elements

The product contains no substances which at their given concentration, are considered to be hazardous to health

### 2.3. Other hazards

Hazards not otherwise classified (HNOC)

Not applicable

Unknown acute toxicity 91.6% of the mixture consists of ingredient(s) of unknown toxicity

Other Information May be harmful in contact with skin.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Component	CAS No	% [weight]
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5
Dimethyl silicone polymer with silica	67762-90-7	5 - 10

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

The product contains no substances which at their given concentration, are considered to be hazardous to health.

#### **SECTION 4. First aid measures**

##### *4.1. Description of first aid measures*

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If symptoms persist, call a physician.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

##### *4.2. Most important symptoms and effects, both acute and delayed*

Most important symptoms and effects

No information available.

##### *4.3. Indication of any immediate medical attention and special treatment needed*

Notes to Physician Treat symptomatically.

#### **SECTION 5. Fire-fighting measures**

##### *5.1. Extinguishing media*

Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

Unsuitable Extinguishing Media

No information available.

##### *5.2. Special hazards arising from the substance or mixture*

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapours. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Smoke. Fumes.

Explosion Data

Sensitivity to mechanical impact Not applicable.

Sensitivity to static discharge Not sensitive.

##### *5.3. Advice for firefighters*

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **SECTION 6. Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

**Protective precautions** Ensure adequate ventilation. Avoid exceeding of the given occupational exposure limits (see section 8).

**Emergency procedures** Evacuate personnel to safe areas. Remove all sources of ignition. Keep people away from and upwind of spill/leak.

### 6.2. Environmental precautions

**Environmental Precautions** Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Local authorities should be advised if significant spillages cannot be contained. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13).

**Methods for Clean-Up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labelled containers.

### 6.4. Reference to other sections

**Reference to other sections** See Sections 5 & 7 for additional information.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

**Handling** Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep cool. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition. Keep from freezing.

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Guidelines .**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silica, amorphous, precipitated and gel 112926-00-8	-	TWA: 6 mg/m <sup>3</sup>	-
Dimethyl silicone polymer with silica 67762-90-7	TWA: 10 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>	-
White mineral oil 8042-47-5	TWA: 5 mg/m <sup>3</sup> , oil mist STEL:10 mg/m <sup>3</sup> , oil mist	5 mg/m <sup>3</sup> , oil mist	-

### 8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin protection Long sleeved clothing. Wear protective nitrile rubber gloves.

Respiratory protection In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Opaque Amber	
Odor	Mild Organic	
Odor threshold	No information available	
Property	Values	Remarks/Method
ph	No information available	No information available
Melting point/freezing point	No information available	No information available
Boiling point	> 200 °C	No information available
Flash point	282 °C	Open cup
Evaporation rate	<1 (Butyl Acetate = 1)	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limit in Air		
Upper flammability limit	No information available	
Lower flammability limit	No information available	
Vapor Pressure	< 0.1 mmHg	No information available
Vapor density	No information available	No information available
Specific Gravity	0.94 – 0.98	No information available
Water Solubility	Emulsifiable	No information available
Solubility in other solvents	No information available	No information available
Partition coefficient: n-octanol/water	No information available	No information available
Autoignition temperature	No information available	No information available
Decomposition temperature	No information available	No information available
Viscosity	1800 cps @ 25°C	No information available
Explosive properties	No information available	No information available
Oxidizing properties	No information available	No information available

### 9.2. Other information

VOC content (%) No information available

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

Reactivity Stable under normal conditions.

### 10.2. Chemical stability

Chemical Stability Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

### 10.4. Conditions to avoid

Conditions to Avoid Heat, flames and sparks.

### 10.5. Incompatible materials

Incompatible Materials Strong oxidizing agents. Strong reducing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Fumes.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information Information given is based on data on the components and the toxicology of similar products.

Eyes Contact with eyes may cause irritation. Avoid contact with eyes.

Skin May cause skin irritation. Avoid contact with skin.

Inhalation May cause irritation of respiratory tract. Avoid breathing vapors or mists.

Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 8,155.00 mg/kg

ATEmix (dermal) 3,833.00 mg/kg

ATEmix (inhalation-dust/mist) 1,880.14 mg/L

Component	Oral LD50	Dermal LD50	Inhalation LC50
Silica, amorphous, precipitated and gel	-	-	LC0: >= 0.139 mg/l (4hr).Maximum attainable concentration. No deaths occurred.
White mineral oil	> 5000 mg/kg ( Rat )	2010 mg/kg (Rabbit)	-
Polyethylene glycol stearate	> 20 g/kg ( Rat )	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic effects No information available.

Reproductive Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Avoid repeated exposure.
Aspiration Hazard	No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA
Silica, amorphous, precipitated and gel 112926-00-8	-	Group 3	-	-

IARC (International Agency for Research on Cancer) | Group 3 - Not Classifiable as to Carcinogenicity in Human

## SECTION 12. Ecological information

### 12.1. Toxicity

Ecotoxicity .

Component	Algae	Fish	Daphnia magna
Silica, amorphous, precipitated and gel	EC50, 72h: Pseudokirchneriella subcapitata: 440 mg/L	LC50: >10000 96h (Brachydanio rerio)	EC50: >10000 24h
Dimethyl silicone polymer with silica	-	LC50: >10000 mg/l, 96h	EC50: >10000 mg/l, 24h
White mineral oil	LL/EL50:>100 mg/L	LL/EL50:>100 mg/L	-
Polyethylene glycol stearate	-	LC50 (96 h): 93 mg/L (Rainbow trout)	-

### 12.2. Persistence and degradability

Persistence and degradability No information available.

### 12.3. Bioaccumulative potential

Bioaccumulation/Accumulation .

Component	Partition coefficient
White mineral oil 8042-47-5	>6

### 12.4. Mobility in soil

Mobility in Environmental Media No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Not applicable.

### 12.6. Other adverse effects

Other adverse effects No information available.

### **SECTION 13. Disposal considerations**

#### *13.1. Waste treatment methods*

Disposal Methods	Contain and dispose of waste according to local regulations.
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal. Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	Product, as sold, is not a US EPA RCRA Waste.

### **SECTION 14. Transport information**

DOT	Not regulated
ICAO/IATA	Not regulated
IMDG/IMO	Not regulated

### **SECTION 15. Regulatory information**

#### *15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture*

##### International Inventories

US TSCA	Complies
Australia (AICS)	Contact manufacturer
Canada (DSL)	Complies
China (IECSC)	Complies
Europe (EINECS/ELINCS/NLP)	Contact manufacturer
Japan (METI)	Contact manufacturer
South Korea (KECL)	Complies
Philippines (PICCS)	Contact manufacturer
New Zealand	Complies

##### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard No  
 Chronic Health Hazard No  
 Fire Hazard No  
 Sudden Release of Pressure Hazard No  
 Reactive Hazard No

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (40 CFR 61)

This product does not contain any HAPs.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

WARNING! This product contains a chemical known in the State of California to cause cancer. WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm. Impurities (<0.1%).

Component California Proposition 65  
 Ethylene oxide Carcinogen  
 Developmental  
 Female Reproductive  
 Male Reproductive

U.S. State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhose Island
Silica, amorphous, precipitated and gel	X	X	X		
Calcium oxide	X	X	X		X
Potassium hydroxide	X	X	X		X
Glycerol	X	X	X		X
Propylene Glycol	X	X	X		X
Ethylene oxide	X	X	X	X	X
Silicon dioxide (amorphous)	X	X	X		

International Regulations

Mexico

Mexico Grade Slight risk, Grade 1

Component	Mexico Carcinogen Status	Mexico Exposure Li
Silica, amorphous, precipitated and gel 112926-00-8 ( 1 - 5 )	-	TWA: 10 mg/m3

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Non-controlled

Canada Disclosure Lists

Components not listed are non-hazardous.

Component	% [weight]	Ingredient Disclosure List (IDL)	National Pollutant Release Inventory (NPRI)	Hazardous Materials Information Review Commission (Registration number)
Polyethylene glycol stearate	1 – 5	1.00%	-	-

**SECTION 16. Other information**

NFPA

HMIS III

Health	1	Health	1
Flammability	1	Flammability	1
Instability	0	Physical Hazard	0

Issue Date: 2014-11-12

Revision Date: 2015-06-04

Reason for revision SDS sections updated, 3, 15.

For industrial use only.

The information contained herein is to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, Tramfloc, Inc. makes no guarantee for results obtained, and assumes no responsibility for damages incurred by use of this product. It is the responsibility of the user to comply with all federal, state, and local laws and regulations.