SAFETY DATA SHEET

According to Federal Regulation 29 CFR 1910.1200

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TRAMFLOC® 300 to 399 Series Cationic Emulsion Polymers

Type of product: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Processing aid for industrial applications.

Uses advised against: none

1.3. Details of the supplier of the safety data sheet

Company: Tramfloc, Inc.

6046 FM 2920 Rd. #615

Spring, TX 77379-2542

Telephone: 888-929-8973 Telefax: 480-383-6895

E-mail address: water@tramfloc.com

1.4 Emergency telephone number:

24-hour emergency number: 800-424-9300 CHEMTREC (CCN 20412), Outside US 703-527-3887

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:

Not classified.

2.2. Label elements

Labelling according to paragraph (f) of Regulation 29 CFR 1910.1200:

Hazard symbol(s): none
Signal word: none
Hazard statement(s): none
Precautionary statement(s): none

2.3. Other hazards

Spills produce extremely slippery surfaces.

SECTION 3. Composition/information on ingredients

3.1 Substances

Not applicable, this product is not a substance.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 1 01/08/24

3.2 Mixtures

Hazardous components

Distillates (petroleum), hydrotreated light

Concentration/ gamme: 20-30-%

CAS Number: 64742-47-8

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:

Asp. Tox. 11H304

Notes

Does not result in classification of the mixture if the kinematic viscosity is greater than 20.5 mm2/s measured at 40°C.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Concentration/ gamme : < 3%

CAS Number: 69011-36-5

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:

Acute Tox. 4;H302, Eye Dam. 1;H318

For explanation of abbreviations see section 16

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air. No hazards which require special first aid measures.

Skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. In case of persistent skin irritation, consult a physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.

Ingestion:

Rinse mouth with water. Do NOT induce vomiting. Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

None under normal use.

4.3. Indication of any immediate medical attention and special treatment needed.

None reasonably foreseeable.

Other information:

None.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 2 01/08/24

SECTION 5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water. Water spray. Foam. Carbon dioxide (CO2). Dry powder.

Unsuitable extinguishing media:

None.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products:

Ammonia. Carbon oxides (COx). Nitrogen oxides (NOx). Hydrogen chloride. Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

5.3. Advice for fire-fighters

Protective measures:

Wear self-contained breathing apparatus and protective suit.

Other information:

Spills produce extremely slippery surfaces.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Do not touch or walk through spilled material. Spills produce extremely slippery surfaces.

Protective equipment:

Wear adequate personal protective equipment (see Section 8 Exposure Controls/Personal Protection).

Emergency procedures:

Keep people away from spill/leak.

6.2. Environmental precautions

Do not contaminate water.

6.3. Methods and material for containment and cleaning up

Small spills:

Do not flush with water. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Large spills:

Do not flush with water. Dam up. Clean up promptly by scoop or vacuum.

Residues:

Soak up with inert absorbent material. After cleaning, flush away traces with water.

6.4. Reference to other sections

SECTION 7: Handling and storage; SECTION 8: Exposure controls/personal protection; SECTION 13: Disposal considerations;

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 3 01/08/24

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Renders surfaces extremely slippery when spilled. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities.

Keep away from heat and sources of ignition. Freezing will affect the physical condition and may damage the material. Incompatible with oxidizing agents.

7.3. Specific end use(s)

None.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Distillates (petroleum), hydrotreated light

ACGIH: 200 mg/m3 (8-hour)

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas. Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Safety glasses with side-shields.

Skin protection: Wear coveralls and/or chemical apron and rubber footwear where physical

contact can occur.

Hand protection: PVC or other plastic material gloves.

Respiratory protection: No personal respiratory protective equipment normally required.

Additional advice: Wash hands and face before breaks and immediately after handling the product.

Wash hands before breaks and at the end of workday.

Environmental exposure controls: Do not allow uncontrolled discharge of product into the environment.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Viscous liquid, Milky.

Odour: Aliphatic.

Odour Threshold: No data available.

pH: 4 - 6 @ 5 g/L

Melting point/freezing point: < 5°C

Initial boiling point and boiling range: > 100°C Flash point:

Does not flash.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 4 01/08/24

Evaporation rate: No data available.

Flammability (solid, gas): Not applicable.

Upper/lower flammability or explosive limits: Not expected to create explosive atmospheres.

Vapour pressure: 2.3 kPa @ 20°C

Relative density: 1.0 - 1.1

Solubility(ies): Completely miscible.

Partition coefficient: Not applicable.

Autoignition temperature: Not applicable.

Decomposition temperature: > 150°C Approx. viscosity @ 5g/l: 1000 cps

Explosive properties: Not expected to be explosive based on the chemical structure.

Oxidizing properties: Not expected to be oxidising based on the chemical structure.

9.2 Other information

none

SECTION 10. Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Oxidizing agents may cause exothermic reactions.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce: hydrogen chloride gas, nitrogen oxides (NOx), carbon oxides (COx). Ammonia. Hydrogen cyanide (hydrocyanic acid).

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Information on the product as supplied:

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg

Acute dermal toxicity: LD50/dermal/rat > 5000 mg/kg

Acute inhalation toxicity: The product is not expected to be toxic by inhalation.

Skin corrosion/irritation: Non-irritating to skin.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 5 01/08/24

Serious eye damage/eye irritation: May cause eye irritation with susceptible persons.

Respiratory/skin sensitisation: Not sensitizing.

Mutagenicity: Not mutagenic.

Carcinogenicity: Not carcinogenic.

Reproductive toxicity: Not toxic for reproduction.

STOT - single exposure: No known effects.
STOT - repeated exposure: No known effects.

Aspiration hazard: Due to the viscosity, this product does not present an aspiration hazard.

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Acute oral toxicity: LD50/oral/rat > 5000 mg/kg (OECD 401)

Acute dermal toxicity: LD50/dermal/rabbit > 5000 mg/kg (OECD 402)

Acute inhalation toxicity: LC50/inhalation/4 h/rat = 4951 mg/m3 (OECD 403)

Skin corrosion/irritation: Not irritating. (OECD 404)

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation: Not irritating. (OECD 405)

Respiratory/skin sensitisation: By analogy with similar products, this product is not expected to be sensitizing.

(OECD 406)

Mutagenicity: Not mutagenic. (OECD 471, 473, 474, 476, 478, 479)

Carcinogenicity: Carcinogenicity study in rats (OECD 451): Negative

Reproductive toxicity: By analogy with similar substances, this substance is not expected to be toxic for

reproduction. NOAEL/rat = 300 ppm (OECD 421)

STOT - single exposure: No known effects.

STOT - repeated exposure: NOAEL/oral/rat/90 days >= 3000 mg/kg/day (OECD 408) (Based on results

obtained from tests on analogous products.).

Aspiration hazard: May be fatal if swallowed and enters airways.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Acute oral toxicity: LD50/oral/rat = 200 - 300 mg/kg
Acute dermal toxicity: LD50/dermal/rabbit > 2000 mg/kg

Acute inhalation toxicity: No data available. Skin corrosion/irritation: Not irritating.

Serious eye damage/eye irritation: Causes serious eye irritation.

Respiratory/skin sensitisation: The results of testing on guinea pigs showed this material to be non-sensitizing.

Mutagenicity: Not mutagenic.

Carcinogenicity: Not carcinogenic.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 6 01/08/24

Reproductive toxicity: Two-Generation Reproduction Toxicity (OECD 416)

NOAEL/rat > 250 mg/kg/day Prenatal Development Toxicity Study (OECD

414)

NOAEL/Maternal toxicity/rat > 50 mg/kg/day

NOAEL/Developmental toxicity/rat > 50 mg/kg/day

STOT - single exposure: No known effects.

STOT - repeated exposure: NOAEL/oral/rat/600 days = 50 mg/kg/day

Aspiration hazard: No known effects.

SECTION 12. Ecological information

12.1. Toxicity

Information on the product as supplied:

Acute toxicity to fish: LC50/Fish/96 hours = 10 - 100 mg/L (Estimated)

Acute toxicity to invertebrates: EC50/Daphnia/48 hours = 10 - 100 mg/L (Estimated)

Acute toxicity to algae: Algal inhibition tests are not appropriate. The flocculation characteristics of the

product interfere directly in the test medium preventing homogenous distribution

which invalidates the test.

Chronic toxicity to fish: No data available.

Chronic toxicity to invertebrates: No data available.

Toxicity to microorganisms: No data available.

Effects on terrestrial organisms: No data available. Readily biodegradable, exposure to soil is unlikely.

Sediment toxicity: No data available. Readily biodegradable, exposure to sediment is unlikely.

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Acute toxicity to fish: LC0/Oncorhynchus mykiss/96 hours > 1000 mg/L (OECD 203)

Acute toxicity to invertebrates: EC0/Daphnia magna/48 hours > 1000 mg/L (OECD 202)

Acute toxicity to algae: ICO/Pseudokirchneriella subcapitata/72 hours > 1000 mg/L (OECD 201)

Chronic toxicity to fish: NOEC/Oncorhynchus mykiss/28 days > 1000 mg/L

Chronic toxicity to invertebrates: NOEC/Daphnia magna/21 days > 1000 mg/L

Toxicity to microorganisms: EC50/Tetrahymena pyriformis/ 48h > 1000 mg/L

Effects on terrestrial organisms: No data available.

Sediment toxicity: No data available. Readily biodegradable, exposure to sediment is unlikely.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Acute toxicity to fish: LC50/Cyprinus carpio/96 hours = 1 - 10 mg/L (OECD 203)

Acute toxicity to invertebrates: EC50/Daphnia/48 hours = 1 - 10 mg/L (OECD 202)

Acute toxicity to algae: IC50/Desmodesmus subspicatus/72 hours = 1 - 10 mg/L (OECD 201)

Chronic toxicity to fish: No data available.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 7 01/08/24

Chronic toxicity to invertebrates: No data available.

Toxicity to microorganisms: EC10/activated sludge/17 h > 10000 mg/L (DIN 38412-8)

Effects on terrestrial organisms: No data available. Sediment toxicity:

No data available.

12.2. Persistence and degradability

Information on the product as supplied:

Degradation: Readily biodegradable.

Hydrolysis: At natural pHs (>6) the polymer degrades due to hydrolysis to more than 70% in

28 days. The hydrolysis products are not harmful to aquatic organisms.

Photolysis: No data available.

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Degradation: Readily biodegradable.

Hydrolysis: Does not hydrolyse.

Photolysis: No data available.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Degradation: Readily biodegradable. > 60% / 28 days (OECD 301 B)

Hydrolysis: Does not hydrolyse.

Photolysis: No data available.

12.3. Bioaccumulative potential

Information on the product as supplied:

The product is not expected to bioaccumulate.

Partition co-efficient (Log Pow): Not applicable. Bioconcentration factor (BCF): No data available.

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Partition co-efficient (Log Pow): 3-6

Bioconcentration factor (BCF): No data available.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Partition co-efficient (Log Pow): >3

Bioconcentration factor (BCF): No data available.

12.4. Mobility in soil

Information on the product as supplied:

No data available.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 8 01/08/24

Relevant information on the hazardous components:

Distillates (petroleum), hydrotreated light

Koc: No data available.

Poly(oxy-1,2-ethanediyl), a-tridecyl-w-hydroxy-, branched

Koc: >5000

12.5. Other adverse effects

None.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products:

Dispose of in accordance with local regulations.

Contaminated packaging:

If recycling is not practicable, dispose of in compliance with local regulations.

Recycling:

Store containers and offer for recycling of material when in accordance with the local regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified.

Sea transport (IMDG)

Not classified.

Air transport (IATA)

Not classified.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Information on the product as supplied:

TSCA Chemical Substances Inventory:

All components of this product are either listed on the inventory or are exempt from listing.

US SARA Reporting Requirements: SARA (Section 311/312) hazard class:

Not concerned.

RCRA status:

Not RCRA hazardous

California Proposition 65 Information:

WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm, Acrylamide

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 9 01/08/24

SECTION 16. Other information

NFPA and HMIS Ratings:

NFPA:

Health: 0

Flammability: 1


Instability: 0

HMIS:

Health: 0

Flammability: 1 Physical Hazard: 0

PPE Code: B



SECTION 1. Identification of the substance/mixture and of the company/undertaking, SECTION 2. Hazards identification, SECTION 3. Composition/information on ingredients, SECTION 4. First aid measures, SECTION 5. Fire-fighting measures, SECTION 6. Accidental release measures, SECTION 7. Handling and storage, SECTION 8. Exposure controls/personal protection, SECTION 9. Physical and chemical properties, SECTION 10. Stability and reactivity, SECTION 11. Toxicological information, SECTION 12. Ecological information, SECTION 13. Disposal considerations, SECTION 14. Transport information, SECTION 15. Regulatory information, SECTION 16. Other Information.

Key or legend to abbreviations and acronyms used in the safety data sheet:

Abbreviations

Acute Tox. 4 = Acute toxicity Category Code 4

Asp. Tox. 1 = Aspiration hazard Category Code 1

Eye Dam 1 = Serious eye damage/eye irritation Category Code 1

H-Phrases

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H318 - Causes serious eye damage

This SDS was prepared in accordance with the following:

Federal Regulation 29 CFR 1910.1200

The information contained herein is to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, Tramfloc, Inc. makes no guarantee for results obtained, and assumes no responsibility for damages incurred by use of this product. It is the responsibility of the user to comply with all federal, state, and local laws and regulations.

Product name: TRAMFLOC® 300 to 399 Series Polymers Page: 10 01/08/24

