SAFETY DATA SHEET

According to Federal Regulation 29 CFR 1910.1200

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TRAMFLOC® 470 Cationic Granular Powder

Type of product: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Processing aid for industrial applications.

Uses advised against: none

1.3. Details of the supplier of the safety data sheet

Company: Tramfloc, Inc.

6046 FM 2920 Rd. #615

Spring, TX 77379-2542

Telephone: 888-929-8973 Telefax: 480-383-6895

E-mail address: water@tramfloc.com

1.4 Emergency telephone number:

24-hour emergency number: 800-424-9300 CHEMTREC (CCN 20412), Outside US 703-527-3887

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:

Not classified.

2.2. Label elements

Labelling according to paragraph (f) of Regulation 29 CFR 1910.1200:

Hazard symbol(s): none
Signal word: none
Hazard statement(s): none
Precautionary statement(s): none

2.3. Other hazards

Spills produce extremely slippery surfaces.

SECTION 3. Composition/information on ingredients

3.1 Substances

Not applicable, this product is not a substance.

Product name: TRAMFLOC® 470 Page: 1 01/08/24

3.2 Mixtures

Hazardous components

Sulfamic acid

Concentration/gamme: 2.5-10%

CAS Number: 5329-14-6

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200: Skin Irrit.2;H315, Eye. Irrit2A;H319

For explanation of abbreviations see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air. No hazards which require special first aid measures.

Skin contact:

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. In case of persistent skin irritation, consult a physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.

Ingestion:

Rinse mouth with water. If conscious, give the victim plenty of water to drink. Induce vomiting, but only if victim is fully conscious.

4.2. Most important symptoms and effects, both acute and delayed

Powder can cause localized skin irritation in folds of the skin or under tight clothing. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed.

None reasonably foreseeable.

Other information:

None.

SECTION 5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water. Water spray. Foam. Carbon dioxide (CO₂). Dry powder.

Unsuitable extinguishing media:

None.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products:

Hydrogen chloride gas. Carbon oxides (CO_x). Nitrogen oxides (NO_x). Hydrogen chloride. Hydrogen cyanide

Product name: TRAMFLOC® 470 Page: 2 01/08/24

(hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

5.3. Advice for fire-fighters

Protective measures:

In the event of fire, wear self-contained breathing apparatus.

Other information:

Spills produce extremely slippery surfaces.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Do not touch or walk through spilled material. Spills produce extremely slippery surfaces.

Protective equipment:

Wear adequate personal protective equipment (see Section 8 Exposure Controls/Personal Protection).

Emergency procedures:

Keep people away from spill/leak.

6.2. Environmental precautions

As with all chemical products, do not flush into surface water.

6.3. Methods and material for containment and cleaning up

Small spills:

Do not flush with water. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

Large spills:

Do not flush with water. Clean up promptly by sweeping or vacuum.

Residues:

Sweep up to prevent slip hazard. After cleaning, flush away traces with water.

6.4. Reference to other sections

SECTION 7: Handling and storage; SECTION 8: Exposure controls/personal protection; SECTION 13: Disposal considerations;

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Renders surfaces extremely slippery when spilled. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities.

Keep in a dry place. Incompatible with oxidizing agents.

7.3. Specific end use(s)

None.

Product name: TRAMFLOC® 470 Page: 3 01/08/24

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

None.

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas. Use local exhaust if misting occurs. Natural ventilation is adequate in absence of mists.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Safety glasses with side-shields.

Skin protection: Work-clothes protecting arms, legs and body.

Hand protection: PVC or other plastic material gloves.

Respiratory protection: No personal respiratory protective equipment normally required. Dust safety

masks recommended where working powder concentration is more than 10

mg/m3.

Additional advice: Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls: Do not allow uncontrolled discharge of product into the environment. Do not

flush into surface water.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Granular solid, white.

Odor: None.

Odor Threshold: Not applicable. pH: 2.5 - 4.5 @ 5 g/L

Melting point/freezing point: > 100°C

Initial boiling point and boiling range: Not applicable.

Bulk Density: 55 lbs./F³

Flash point: Not applicable.

Evaporation rate: Not applicable.

Flammability (solid, gas): No data available.

Upper/lower flammability or explosive limits: Not expected to create explosive atmospheres.

Vapor pressure: Not applicable.

Vapor density: Not applicable. Relative density: 0.6 - 0.9

Solubility(ies): Soluble in water.

Partition coefficient: Not applicable.

Product name: TRAMFLOC® 470 Page: 4 01/08/24

Autoignition temperature: Not applicable.

Decomposition temperature: > 200°C

Viscosity: See Technical Bulletin

Explosive properties: Not expected to be explosive based on the chemical structure.

Oxidizing properties: Not expected to be oxidizing based on the chemical structure.

9.2. Other information

None.

SECTION 10. Stability and reactivity

10.1. Reactivity

Hazardous polymerization does not occur.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidizing agents may cause exothermic reactions.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Incompatible with oxidizing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce: hydrogen chloride gas, nitrogen oxides (NO_x) , carbon oxides (CO_x) . Hydrogen cyanide (hydrocyanic acid) may be produced in the event of combustion in an oxygen deficient atmosphere.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Information on the product as supplied:

Acute oral toxicity: $LD_{50}/oral/rat > 5000 \text{ mg/kg}$

Acute dermal toxicity: $LD_{50}/dermal/rat > 5000 \text{ mg/kg}$

Acute inhalation toxicity: The product is not expected to be toxic by inhalation.

Skin corrosion/irritation: Not irritating.

Serious eye damage/eye irritation: Testing conducted according to the Draize technique showed the material

produces no corneal or iridial effects and only slight transitory conjunctival effects similar to those which all granular materials have on conjunctivae.

Respiratory/skin sensitization: The results of testing on guinea pigs showed this material to be non-sensitizing.

Mutagenicity: Not mutagenic.

Carcinogenicity: Not carcinogenic.

Reproductive toxicity: Not toxic for reproduction.

Product name: TRAMFLOC® 470 Page: 5 01/08/24

STOT - single exposure: No known effects.
STOT - repeated exposure: No known effects.

Aspiration hazard: No hazards resulting from the material as supplied.

Relevant information on the hazardous components:

Sulfamic acid

Acute oral toxicity: $LD_{50}/oral/rat > 2000 \text{ mg/kg}$

Acute dermal toxicity: $LD_{50}/dermal/rabbit = 2000 \text{ mg/kg (OECD 402)}$

Acute inhalation toxicity: The product is not expected to be toxic by inhalation.

Skin corrosion/irritation: Not irritating. (OECD 404)

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation: Not irritating. (OECD 405)

Respiratory/skin sensitization: The product is not expected to be sensitizing.

Mutagenicity: Not mutagenic. (OECD 471, 473, 474, 476, 478, 479)
Carcinogenicity: Carcinogenicity study in rats (OECD 451): Negative

Reproductive toxicity: Negative in the Ames Test. Negative in the In vitro Mammalian Gene Mutation

Test. Not mutagenic. (OECD 472, 487)

STOT - single exposure: No known effects.
STOT - repeated exposure: No known effects.

Aspiration hazard: May be fatal if swallowed and enters airways.

SECTION 12. Ecological information

12.1. Toxicity

Information on the product as supplied:

Acute toxicity to fish: $LC_{50}/Fish/96 \text{ hours} = 5 - 10 \text{ mg/L}$

Acute toxicity to invertebrates: $EC_{50}/Daphnia/48 \text{ hours} = 20 - 50 \text{ mg/L}$

Acute toxicity to algae: Algal inhibition tests are not appropriate. The flocculation characteristics of the

product interfere directly in the test medium preventing homogenous distribution

which invalidates the test.

Chronic toxicity to fish: No data available.

Chronic toxicity to invertebrates: No data available.

Toxicity to microorganisms: No data available.

Effects on terrestrial organisms: No data available. Readily biodegradable, exposure to soil is unlikely.

Sediment toxicity: No data available. Readily biodegradable, exposure to sediment is unlikely.

Relevant information on the hazardous components:

Sulfamic acid

Acute toxicity to fish: LC₅₀/Pimpephales promeslas/96 hours= 70.3 mg/L (OECD 203)

Acute toxicity to invertebrates: $EC_{50}/Daphnia magna/48 hours = 71.6 mg/L (OECD 202)$

Product name: TRAMFLOC® 470 Page: 6 01/08/24

Acute toxicity to algae: IC_{50} /Scenedesmus subspicatus/72 hours = 48 mg/L (OECD 201)

Chronic toxicity to fish: No data available.

Chronic toxicity to invertebrates: No data available.

Toxicity to microorganisms: $EC_{50}/activated sludge/3h > 200 \text{ mg/L}$

Effects on terrestrial organisms: No data available. Sediment toxicity:

No data available.

12.2. Persistence and degradability

Information on the product as supplied:

Degradation: Readily biodegradable.

Hydrolysis: At natural pHs (>6) the polymer degrades due to hydrolysis to more than 70% in

28 days. The hydrolysis products are not harmful to aquatic organisms.

Photolysis: No data available.

Relevant information on the hazardous components:

Sulfamic acid

Degradation: Not relevant (inorganic)

Hydrolysis: Does not hydrolyze.

Photolysis: No data available.

12.3. Bioaccumulative potential

Information on the product as supplied:

Not bioaccumulating.

Partition co-efficient (Log Pow): < 0

Bioconcentration factor (BCF): Not data available.

Relevant information on the hazardous components:

Sulfamic acid

Partition co-efficient (Log Pow): -4.34 @ 20°C

Bioconcentration factor (BCF): No data available.

12.4. Mobility in soil

Information on the product as supplied:

None.

Relevant information on the hazardous components:

Sulfamic acid

Koc: No data available.

12.5. Other adverse effects

None known.

Product name: TRAMFLOC® 470 Page: 7 01/08/24

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products:

Dispose in accordance with local and national regulations.

Contaminated packaging:

If recycling is not practicable, dispose of in compliance with local regulations.

Recycling:

Store containers and offer for recycling of material when in accordance with the local regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified.

Sea transport (IMDG)

Not classified.

Air transport (IATA)

Not classified.

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Information on the product as supplied: TSCA Chemical Substances Inventory:

All components of this product are either listed on the inventory or are exempt from listing.

US SARA Reporting Requirements: SARA (Section 311/312) hazard class:

Not concerned.

RCRA status:

Not RCRA hazardous.

California Proposition 65 Information:

WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm, Acrylamide.

SECTION 16. Other information

NFPA and HMIS Ratings: NFPA:

Health: 0

Flammability: 0

Instability: 0

HMIS:

Health: 0

Flammability: 0

Product name: TRAMFLOC® 470 Page: 8 01/08/24

Physical Hazard: 0

PPE Code: B

This data sheet contains changes from the previous version in section(s):

SECTION 1. Identification of the substance/mixture and of the company/undertaking, SECTION 2. Hazards identification, SECTION 3. Composition/information on ingredients, SECTION 4. First aid measures, SECTION 5. Fire-fighting measures, SECTION 6. Accidental release measures, SECTION 7. Handling and storage, SECTION 8. Exposure controls/personal protection, SECTION 9. Physical and chemical properties, SECTION 10. Stability and reactivity, SECTION 11. Toxicological information, SECTION 12. Ecological information, SECTION 13. Disposal considerations, SECTION 14. Transport information, SECTION 15. Regulatory information, SECTION 16. Other Information.

Key or legend to abbreviations and acronyms used in the safety data sheet:

Abbreviations

Acute Tox. 4 = Acute toxicity Category Code 4

Asp. Tox. 1 = Aspiration hazard Category Code 1

Eye Dam 1 = Serious eye damage/eye irritation Category Code 1

H-Phrases

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H318 - Causes serious eye damage

This SDS was prepared in accordance with the following:

Federal Regulation 29 CFR 1910.1200

The information contained herein is to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, Tramfloc, Inc. makes no guarantee for results obtained, and assumes no responsibility for damages incurred by use of this product. It is the responsibility of the user to comply with all federal, state, and local laws and regulations.

Product name: TRAMFLOC® 470 Page: 9 01/08/24