

# SAFETY DATA SHEET

According to Federal Regulation 29 CFR 1910.1200

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product names: TRAMFLOC® 861A

Type of product: Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Processing aid for industrial applications.

Uses advised against: none

### 1.3. Details of the supplier of the safety data sheet

Company: Tramfloc, Inc.  
6046 FM 2920 Rd. #615  
Spring, TX 77379-2542  
Telephone: 888-929-8973  
Telefax: 480-383-6895  
E-mail address: water@tramfloc.com

### 1.4 Emergency telephone number:

24-hour emergency number: 800-424-9300 CHEMTREC (CCN 20412), Outside US 703-527-3887

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to paragraph (d) of Regulation 29 CFR 1910.1200:

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### 2.2. Label elements

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### 2.3. Other hazards

GHS Label elements, including precautionary statements

Emergency overview

Physical state:	liquid
Color:	yellow-green
Appearance:	clear to slightly hazy
Odor:	organic amine

Causes severe skin burns and eye damage  
May be corrosive to metals

#### 2.4. Precautionary statements – prevention

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Keep only in original container

#### 2.5. Precautionary statements – response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Absorb spillage to prevent material damage

#### 2.6. Precautionary statements - storage

Store locked up

Store in corrosive resistant container with a resistant inner liner

#### 2.7. Precautionary statements - disposal

Dispose of contents/container to an approved waste disposal plant

#### 2.8. Other information

Not applicable

#### 2.9. Unknown acute toxicity

2% of the mixture consists of ingredient(s) of unknown toxicity

### SECTION 3. Composition/information on ingredients

#### 3.1 Substances

Component	CAS-No	weight-%	TRADE SECRET
Melamine Resin	9003-08-1	Proprietary	*
Hydrochloric Acid	7647-01-0	< 0.3 %	*
Water	7732-18-5	Proprietary	*

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

\*The exact percentage (concentration) of composition has been withheld as a trade secret

## **SECTION 4: First aid measures**

### *4.1. Description of first aid measures*

#### Eye contact

Remove contact lenses, if worn. Immediately flush with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface. Washing within one minute is essential to achieve maximum effectiveness. Seek medical advice immediately.

#### Skin contact

Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

#### Ingestion

Do NOT induce vomiting. If vomiting should occur spontaneously, keep airway clear. Never give anything by mouth to an unconscious person. Get medical attention.

#### Inhalation

Remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

### *4.2. Most important symptoms and effects, both acute and delayed*

#### Acute effects

Possible eye, skin, and respiratory tract irritation or burns.

#### Chronic effects

May aggravate existing skin, eye and lung conditions.

### *4.3. Indication of any immediate medical attention and special treatment needed.*

#### Note to physicians

Probable mucosal damage may contraindicate the use of gastric lavage.

#### Other information:

None

## **SECTION 5. Fire-fighting measures**

### *5.1. Extinguishing media*

#### Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire. This material is not expected to burn unless heated to dryness. Dry residue may ignite. Use water fog/spray, foam, carbon dioxide, or dry chemical to extinguish fire if residue ignites.

Extinguishing media which must not be used for safety reasons

No information available.

### *5.2. Special hazards arising from the substance or mixture*

Thermal decomposition (as may be experienced in a fire) may produce carbon monoxide gas, hydrogen cyanide, or oxides of nitrogen and sulfur.

### *5.3. Advice for fire-fighters*

Cool exposed containers with water spray after extinguishing fire.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves).

Explosion data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

## **SECTION 6: Accidental release measures**

### *6.1. Personal precautions, protective equipment and emergency procedures*

Wear suitable protective clothing and gloves.

### *6.2. Environmental precautions*

Wear suitable protective clothing and gloves.

### *6.3. Methods and material for containment and cleaning up*

Prevent further leakage or spillage if safe to do so. Dike to collect large liquid spills.

Clean up spill immediately using inert absorbent materials such as clays, sand, earth, or other commercially available dry sweeping compound. Following containment, large spills should be pumped into salvage tanks.

## **SECTION 7. Handling and storage**

### *7.1. Precautions for safe handling*

Keep container closed when not in use

Wear chemical splash goggles, gloves, and protective clothing when handling.

Wash thoroughly after handling

Take off contaminated clothing and wash before reuse

Ensure that eyewash stations and safety showers are close to the workstation location.

Keep from freezing

### *7.2. Conditions for safe storage, including any incompatibilities.*

Keep container closed when not in use

Store the containers in a cool area.

Avoid storage temperatures below freezing, since product may stratify.

### *7.3. Incompatible products*

Strong oxidizers. Contact with copper, copper alloys, aluminum, mild steel or iron may cause corrosion/degradation.

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limits:

Component	Weight %	ACGIH	OSHA PEL	NIOSH IDLH
Hydrochloric Acid 7647-01-0	< 0.3 %	2ppm Ceiling	5 ppm Ceiling; 7 mg/m <sup>3</sup> Ceiling	50 ppm IDLH

### 8.2. Exposure controls

Appropriate engineering controls:

Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Please refer to the ACGIH document, "Industrial Ventilation, A Manual of Recommended Practices", most recent edition, for details. If there are no applicable or established exposure limit requirements or guidelines, general ventilation should be sufficient.

### 8.3 Individual protection measures, such as personal protective equipment

Eye/face Protection	Wear safety glasses with side shields (or goggles). Do NOT wear contact lenses. If splashes are likely to occur: Face shield.
Hand Protection	Gloves impervious to liquid material.
Skin and body protection	Full protective clothing. Rubber boots. Rubber apron.
Respiratory protection	Use of adequate mechanical ventilation and normal protective equipment is appropriate under most conditions, unless working with product in a confined space. If significant vapors, mists or aerosols are present due to elevated temperatures/agitation/high altitudes, use NIOSH approved respirator (ANSI Z882.1980) or equivalent that is equipped with an organic vapor/mist cartridge.

Other personal protection data

After handling material and before eating, drinking or smoking, wash face and hands thoroughly with soap and water. Eyewash fountains and safety showers must be easily accessible.

Hygiene measures	Take off contaminated clothing and wash before reuse.
------------------	---

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Color	yellow-green
Appearance	clear to slightly hazy
Odor	organic amine
Odor threshold	no information available
pH	1.0 – 2.0
Melting / freezing point	0 °C / 32 °F
Boiling point / boiling range	100°C / 212°F @760 mm Hg

Flash point	> 93°C / 200° F
Evaporation rate	Equal to water
Flammability (solid/gas)	Not applicable
Upper flammability limit	Not applicable
Lower flammability limit	Not applicable
Vapor pressure	No information available
Vapor density	No information available
Specific gravity	~ 1.03
Solubility (water)	completely; 100%
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information water
Autoignition temperature	Not applicable
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Density	No information available
Bulk density	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
Volatile organic compounds (VOCs) content	No information
Percent Volatile, wt %	< 90%

#### *9.2. Other information*

None.

### **SECTION 10. Stability and reactivity**

#### *10.1. Reactivity*

No data available

#### *10.2. Chemical stability*

Stable under normal conditions of handling, use and transportation

#### *10.3. Possibility of hazardous reactions*

None under normal processing.

#### *10.4. Conditions to avoid*

None known.

### 10.5. Incompatible materials

Strong oxidizers. Contact with copper, copper alloys, aluminum, mild steel or iron may cause corrosion/degradation.

### 10.6. Hazardous decomposition products

Thermal decomposition (as may be experienced in a fire) may produce carbon monoxide gas, hydrogen cyanide, or oxides of nitrogen and sulfur.

## SECTION 11. Toxicological information

### 11.1. Information on likely routes of exposure

Eye contact	Based on pH, this product is expected to cause severe eye irritation, possibly resulting in burns and eye damage.
Skin contact	Prolonged and/or repeated contact with cause severe skin irritation and burns.
Ingestion	May cause burns of the mouth, throat and stomach. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Inhalation	Inhalation of mist or spray may irritate respiratory tract and may cause burns and difficulty breathing.

### 11.2 Acute toxicity – product information

Oral LD50	No information available
Dermal LD50	No information available
Inhalation LC50	No information available

### 11.3 Acute toxicity – component information

Component	Weight %	Oral LD50	Dermal LD50	Inhalation LC50
Melamine Resin 9003-08-1	Proprietary	>10 g/kg (Rat)	> 10 g/kg (Rabbit)	–
Hydrochloric Acid 7647-01-0	< 0.3%	700 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	3124 ppm (Rat) 1h

### 11.4 Information on toxicological effects

Symptoms	No information available
----------	--------------------------

### 11.5 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns
Serious eye damage/eye irritation	Risk of serious damage to eyes
Sensitization	No information available
Germ cell mutagenicity	No information available
Carcinogenicity	This product does not contain any components in concentrations greater than or equal to 0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH, or OSHA
Reproduction toxicity	No information available
Specific target organ toxicity – single exposure	No information exposure

Specific target organ toxicity – repeated exposure      No information available

Aspiration hazard      No information available

#### *11.4 Numerical measures of toxicity – product information*

2% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)

57167 mg/kg

ATEmix (dermal)

92372 mg/kg

ATEmix (inhalation – dust/mist)

167 mg/l

Other information

Conclusions are drawn from sources other than direct testing.

### **SECTION 12. Ecological information**

#### *12.1. Toxicity*

Acute aquatic toxicity – product information

Fish      No information available

Crustacea      No information available

Algae/aquatic plants      No information available

Acute aquatic toxicity – component information

Component	Weight %	Algae/aquatic plants	Fish	Toxicity to daphnia and other aquatic invertebrates
Hydrochloric Acid 7647-01-0	< 0.3%	-	LC50 (96 h static) = 282 mg/L (Gambusia affinis)	-

#### *12.2. Persistence and degradability*

Information on the product as supplied:

Degradation:      Not readily biodegradable.

Hydrolysis:      No data available.

Photolysis:      No data available.

#### *12.3. Bioaccumulative potential*

Information on the product as supplied:

Not bioaccumulating.

#### *12.4. Mobility in soil*

Information on the product as supplied:



None.

#### 12.5. Other adverse effects

None known.

### SECTION 13. Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues / unused products:

Recycle, if possible. If not, dispose of the waste material in accordance with all applicable federal, state and local laws and regulations regarding health and pollution.

Contaminated packaging:

Since empty containers retain product residue, follow label warnings even after the container is emptied.

RCRA

Is the unused product a RCRA hazardous waste if discarded?

Yes

If yes, the EPA Hazardous Waste Code is:

D002 (corrosivity)

### SECTION 14. Transport information

DOT	Regulated
DOT Un/NA Number	UN3264
Proper shipping name	Corrosive liquid, acidic, inorganic, NOS (contains Hydrochloric Acid)
Hazard class	8
Packing group	III
ERG number	154
ICAO/IATA	Regulated
UN Number	UN3264
Proper shipping name	Corrosive liquid, acidic, inorganic, NOS (contains Hydrochloric Acid)
Hazard class	8
Packing group	III
ERG code	8L
IMDG	Regulated
UN Number	UN3264
Proper shipping name	Corrosive liquid, acidic, inorganic, NOS (contains Hydrochloric Acid)
Hazard class	8
Packing group	III
EmS	F-A; S-B

### SECTION 15. Regulatory information

*15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture*

TSCA (United States)

All ingredients are on the inventory or exempt from listing

Australia (AICS)

All ingredients are on the inventory or exempt from listing

Canada (DSL)

All ingredients are on the inventory or exempt from listing

Canada (NDSL)

None of the ingredients are on the inventory.

China (IECSC)

All ingredients are on the inventory or exempt from listing

EINECS (European Inventory of Existing Chemical Substances)

Some ingredients are not on the inventory.

ELINCS (European List of Notified Chemical Substances)

None of the ingredients are on the inventory.

ENCS (Japan)

All ingredients are on the inventory or exempt from listing

South Korea (KECL)

All ingredients are on the inventory or exempt from listing

Philippines (PICCS)

All ingredients are on the inventory or exempt from listing

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

U.S. Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

### U.S. Federal Regulations

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Component	CERCLA/SARA Hazardous Substance RQ	CERCLA/SARA – Section 302 Extremely Hazardous Substances TPQs	Calculated Product RQ
Hydrochloric Acid 7647-01-0	5000 lb final Rq; 2270 kg final RQ	500 lb TPQ (gas only)	-

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component	CWA – Hazardous Substances	CWA – Reportable Quantities	CWA – Priority Pollutants	CWA – Toxic Pollutants
Hydrochloric Acid 7647-01-0	Present	5000 lb RQ	-	-

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive hazard	No

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	Weight %	SARA 313 – Threshold Values %
Hydrochloric Acid 7647-01-0	< 0.3%	1.0% de minimis concentration (acid, aerosols including mists, vapors, gas, fog and other airborne forms of any particle size)

The component listed in the table above is present at levels below the de minimis concentration for reporting.

### U.S. State Regulations

#### California Proposition 65

This product may contain traces of a substance(s) known to the State of California to cause cancer.

### U.S. State Right-to-Know Regulations

Hydrochloric Acid 7647-01-0	
Massachusetts Right to Know Law	Extraordinarily hazardous
Minnesota Hazardous Substance List	Present
New Jersey Right to Know List	Sn 1012
Pennsylvania Right to Know List	Environmental hazard

### **SECTION 16. Other information**

NFPA and HMIS Ratings:

NFPA:

Health: 2  
Flammability: 0  
Instability: 0

HMIS:

Health: 2  
Flammability: 0  
Physical Hazard: 0  
PPE Code: B

Key or legend to abbreviations and acronyms used in the safety data sheet:

None.

This SDS was prepared in accordance with the following:

Federal Regulation 29 CFR 1910.1200

The information contained herein is to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, Tramfloc, Inc. makes no guarantee for results obtained, and assumes no responsibility for damages incurred by use of this product. It is the responsibility of the user to comply with all federal, state, and local laws and regulations.